





<p>VS1003</p> <p>Mini Ultrasonic Level Switch</p> <p>Connection: G1"A</p> <p>Cable entrance: M12 Connector</p> <p>Sensing range: 0.2m...3m</p> <p><b>Programmable</b></p> <p>Dual output:</p> <p>Switching output+Analogue output</p> <p>3 digit display</p>	
<p>Applications</p>	<p>liquid and flat surface objects, ex: wooden plank, glass, paper, plastic sheet</p> <p>(*the sensing range of solid decrease with different materials)</p>
<p>Panel Display</p>	<p>3 digital segment + 6xLED</p>
<p>Display Functions</p>	<p>The distance/temperature display can be switched via the buttons</p>
<p>Menu setting</p>	<p>2 buttons</p>
<p>Operating Voltage[V]</p>	<p>20...30 DC</p>
<p>Range[M]</p>	<p>0.2...3</p>
<p>Inactive[M]</p>	<p>≤0.2</p>
<p>Launch angle</p>	<p>&lt;15°</p>
<p>Probe frequency[kHz]</p>	<p>100</p>
<p>Voltage drop[V]</p>	<p>&lt;3.5</p>
<p>Reverse polarity protection</p>	<p>Yes</p>
<p>Overload protection</p>	<p>Yes</p>
<p>Temperature compensation</p>	<p>Yes</p>
<p>Automatic gain control AGC</p>	<p>Yes</p>
<p>Watchdog</p>	<p>Yes</p>
<p>Current consumption[mA]</p>	<p>50</p>
<p>Accuracy/Deviation[%]</p>	<p>±0.1</p>
<p>Minimum Resolution[mm]</p>	<p>3</p>
<p>Output response time[s]</p>	<p>1.5</p>
<p>Output</p>	<p>1x(PNP or NPN) and 1xRelay (4...20mA or 0...10V)</p>
<p>Overload of Analogue output[ohm]</p>	<p>4...20mA,Max (U<sub>b</sub>-10V)*50</p>
<p>Overload of switching output[mA]</p>	<p>400</p>
<p rowspan="3">Electric design</p>	<p>NO/NC adjustable</p>
<p>PNP/NPN adjustable</p>	
<p>SP/RP adjustable</p>	
<p>Dimensions[mm]</p>	

Ambient temperature[°C/°F]	-20...70/-4...158
Storage temperature[°C/°F]	-20...70/-4...158
Protection rating	IP68
Resistance[MΩ]	>100(500 VDC)
Shock resistance[g]	20
ESD[KV]	III 6kV
EFT[KF]	III 2kV
Walkie talkie experiment[M]	0.1
Ambient pressure[bar]	<3
Housing material	Stainless steel 316L、PTFE
Probe material	PVDF
Display	
Wiring Core color	

**ООО “РусАвтоматизация”**

454010 г. Челябинск, ул. Гагарина 5, оф. 507  
 тел. 8-800-775-09-57 (звонок бесплатный), +7(351)799-54-26, тел./факс +7(351)211-64-57  
[info@rusautomation.ru](mailto:info@rusautomation.ru); [русавтоматизация.рф](http://rusавтоматизация.рф); [www.rusautomation.ru](http://www.rusautomation.ru)