

TECHNICAL SPECIALIST



Mining And Surface Certification (Pty) Ltd 2015/021934/07

IN TERMS OF REGULATION 21.17.2 OF THE MINERALS ACT (INCORPORATION THE MINE HEALTH AND SAFETY ACT) AND REGULATION 9 (1) OF THE ELECTRICAL MACHINERY REGULATIONS OF THE OCCUPATIONAL HEALTH AND SAFETY ACT IA CERTIFICATE MASC S/19-6122X Issue 0 Issue Date 10 September 2019 **Expiry Date** 05 October 2021 *Based on Certificate No IECEx EPS19.0031X Issue / Variations / Amendment 0 Requested by Pepperl-Fuchs (Pty) Ltd 1st fl Zerwick Forum,8 Glen Eagle Office Park, Cnr Monument Rd and Braambos St, Glen Erasmia, Kempton Park 1619, South Africa Manufacturer Pepperl+Fuchs GmbH Lilienthalstraße 200, 68307, Mannheim, Germany Intrinsically Safe Smartphone-Smart-Ex 02 *** DZ1 Description Equipment Smartphone Type Smart-Ex 02 *** DZ MARKING: Equipment Smartphone Smart-Ex 02 *** DZ1 Original marking as per Туре certificate * remains **Ex Marking** Ex ib op is IIC T4 Gb IP64 Ex ib op is IIIC T120°C Db applicable. IA number to be added. **IA Number** MASC S/19-6122 Warnings See Base Certificate * and original marking DE/PTB/QAR07.0004/05 DE/PTB/QAR06.0008/11 Quality Assurance report (QAR) / Notification (QAN): Quality Assurance report (QAR) / 05 October 2021 Notification (QAN) Expiry date: Compliance: The equipment as described above has been allocated the rating "Explosion Protected" "See "Ex Marking" utilizing the SANS/IEC Standards: • SANS (IEC) 60079-0 : 2018 General requirements SANS (IEC) 60079-11 2012 Intrinsic Safety "i"
 SANS (IEC) 60079-26 2016 Protection of equipment and transmission systems using optical radiation Special conditions of safe use "X": See "Annex A" below Conditions of manufacture: • See "Annex A" below D.P Visser

M Dekker TECHNICAL OFFICER

This certificate covers all units sold as long as the QAR/QAN remains valid. According to the relevant requirements of the MHS Act and the OHS Act, production units of explosion protected equipment are required to comply with third party quality assurance (an approved mark scheme or batch testing by an accredited test laboratory).

/. ANNEX A...

Apparatus in hazardous locations is subject to the following provisions as applicable, which shall be adhered to: SANS 10086 requirements; Any conditions mentioned in the above report Any restrictions and conditions enforced by the chief inspector of mines or chief inspector of factories Any relevant requirements of the MHS Act.

This certificate amay only be reproduced in full. This certificate is not transferable and remains the property of the issuing body

> Mining And Surface Certification (Pty) Ltd Unit 5 Lelyta Park, 45 Jurg Ave, Hennopspark Ext 87 Centurion, 0157

IA CERTIFICATE: MASC S/19-6122X Equipment: Smart Phone

ANNEX A

This document is based on and must be read in conjunction with certificate IECEx EPS 19.0031X			
Description (According to Base Certificate *)			
"Refer to description	in Base Certificate * (and any applicable schedules/issues/variations)."		
Standard	See Base Certificate *		
compliance			
Special conditions	See Base Certificate *.		
of safe use ("X")			
Conditions of	See Base Certificate *		
manufacture			
Conditions of	This IA Certificate covers all units sold from the date of this document to the expiry date of this certificate.		
Certification	 As per ARP 0108 a maximum three yearly review is required on this IA Certificate (expiry is determined as per the QAR/QAN/QMS expiry date). The apparetus must be additionally marked with the MASC marking details above 		
	 This approval only covers the equipment as certified above and does not include any scheduled additions or variations / amendments / new issues to the certificate(s), made after the above date. 		
	 The equipment does not need to be re-tested when used on the conditions and with such restrictions as prescribed by the certificate on which this IA Certificate is based and any other conditions in this IA Certificate. The certification on which this IA Certificate is based must remain valid. 		
	 The extent of the requirements in the ARP 0108 (or regulations), SANS 10108 and any other applicable regulations on the certification of the equipment must remain unchanged. 		
	The Ex quality assurance notification/report for the equipment must remain valid.		
Conclusion:	 From the above and the selective examination of the documentation, nothing contrary to the requirements of the applicable standards was found, provided that the equipment / component is used as described in the above document / certificate and according to the MASC conditions below. A MASC IA certificate is issued based on the work done as per the Base Certificate *. The routine tests for production units according to the Base Certificate * must be complied with (if applicable). 		

This document is issued based on Mining And Surface Certification's Standard Contract terms and conditions available on request.

While every endeavour is made to ensure that a test / assessment / inspection is representative and accurately performed, and that a report / certificate is accurate in the quoted results and conclusions drawn from the test / assessment / inspection, MASC or its directors/employees shall in no way be liable for any error made in carrying out the test / assessment or for any erroneous statement, whether in fact or in opinion, contained in a report / certificate issued pursuant to a test / assessment / inspection.

MASC takes no responsibility for any non-conformances, exclusions or any results / assessments / inspections not in compliance with the standards. By marking the equipment in accordance with the documentation / standard, the manufacturer / applicant attests on his own responsibility that the equipment / installation has been designed and constructed in accordance with the applicable requirements of the relevant standards and documentation, that the routine verifications / routine tests have been correctly completed and the equipment / installation complies with the documentation and standard(s).

This document is only for use and application in South Africa. It is issued based on National interpretations and accepted practices



IECEx Certificate

of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Received and the second s				
Certificate No.:	IECEx EPS 19.0031X		Issue No: 0	Certificate history:
Status:	Current			ISSUE NO. 0 (2019-06-17)
Date of Issue:	2019-06-17		Page 1 of 3	
Applicant:	Pepperl+Fuchs GmbH Lilienthalstrasse 200 68307 Mannheim Germany			
Equipment: <i>Optional accessory:</i>	Intrinsically Safe Smartphone - Smart-Ex 02 **	* DZ1		
Type of Protection:	intrinsic safety			,
Marking:	Ex ib op is IIC T4 Gb IP64			
	Ex ib op is IIIC T120°C Db			
Approved for issue o Certification Body:	n behalf of the IECEx	Holger Schaffer	alle!	LIERUNGSS
Position:		Certification Manager	AN I	KAN VER TE
Signature: (for printed version)			50 6	
Date:		2019-06-1	7	5
			" Ser,	1828 man
 This certificate and schedule may only be reproduced in full. This certificate is not transferable and remains the property of the issuing body. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website. 				
Certificate issued by:				
Bureau Veritas (Consumer Products Services Germany GmbH Businesspark A96 86842 Türkheim Germany	BUREAU VERITAS		



IECEx Certificate of Conformity

Certificate No:	IECEx EPS 19.0031X	Issue No: 0	
Date of Issue:	2019-06-17	Page 2 of 3	
Manufacturer:	Pepperl+Fuchs GmbH Lilienthalstrasse 200 68307 Mannheim Germany		
Additional Manufacturing location(s):			

ecom instruments GmbH	This product may be manufactured at all additional manufacturing
Industriestrasse 2	locations/product sites listed in DE/PTB/QAR06.0008 and having
97959 Assamstadt	congruent types of protection and congruent product types as defined
Germany	in this certificate.

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2017 Edition:7.0	Explosive atmospheres - Part 0: Equipment - General requirements
IEC 60079-11 : 2011 Edition:6.0	Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"
IEC 60079-28 : 2015 Edition:2	Explosive atmospheres - Part 28: Protection of equipment and transmission systems using optical radiation

This Certificate does not indicate compliance with electrical safety and performance requirements other than those expressly included in the

Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report:

DE/EPS/ExTR19.0029/00

Quality Assessment Report:

DE/PTB/QAR06.0008/09

DE/PTB/QAR07.0004/05

IFC IE	Ex	IECEx Certificate		
	тм	of Conformity		
Certificate No:	IECEx EPS 19.0031X	Issue No: 0		
Date of Issue:	2019-06-17	Page 3 of 3		
		Schedule		
EQUIPMENT: Equipment and systems covered by this certificate are as follows:				
The intrinsically safe Smartphone of type Smart-Ex 02 *** DZ1 is communication device intended for use in hazardous areas of zones 1, 2, 21 and 22. The device provide additional features such as camera, GPS, NFC, acceleration sensor, WiFi, Bluetooth, vibration motor, headphone connector, magnetic sensor and flash-light. Different integrated antennas can be used for the usual cellular systems. The device is equipped with an exchangeable Li-lon battery unit. Charging and wired data transfer is done via the magnetic USB-connector in ordinary locations only.				
Electrical data:				
Supply:	bly: Two rechargeable built-in Li-Ion batteries in parallel			
	Battery pack Ex-BP S02 nominal data Battery pack Ex-BP S02C nominal data	: 3.7 V, 4400 mAh, 16.28 Wh or : 3.7 V, 3920 mAh, 14.5 Wh		
Charging and Wired data transfer:	Um = 6V, outside of classified hazardou	is locations only		
SPECIFIC CONDITIONS	OF USE: YES as shown below:			
Ambient temperature range	e: -20°C ≤ Tamb ≤ +60°C			
The battery pack is only all	owed to be charged and replaced outside	e of the classified hazardous location.		
It must be ensured that the	power supply for charging fulfills the req	uirements for SELV or PELV and Um = 6 V.		
The Battery-Cover for SIM/	SD card and battery-pack access must b	e mounted and screwed tight before entering the hazardous location.		
The device has to be prote	cted against high energy impacts.			
The device shall not be used in close proximity to processes producing high electrostatic charges.				
The device shall not be rep	aired or dismantled (except the Battery-C	Cover in ordinary locations).		
It is allowed to use the 3.5 mm Audio Plug in the hazardous locations for connections to certified accessory meeting the following entity parameters:				
Ui = 4.2 V				
li = 50 mA				
Pi = 100 mW				
Co = 3 µF				
Lo = 440 µH				